



**CLIM3001**

**Using the CSIRO Mk3L climate system model  
Part 2: Working with Mk3L**

**Steven J. Phipps**

**Climate Change Research Centre  
ARC Centre of Excellence for Climate System Science  
University of New South Wales**

# Overview

- Input files
- Output files
- Running Mk3L for one day
- Running Mk3L for 10 years
- Running Mk3L for 10,000 years

A scenic landscape featuring a large, calm lake in the foreground, reflecting the surrounding environment. The middle ground is dominated by dense, green forested hillsides. In the background, several prominent, rugged mountain peaks rise against a clear, light blue sky. The mountains have a mix of dark rock and patches of snow or light-colored rock. The overall scene is peaceful and natural.

# Input files



# Input files

- The model requires three types of input files:

**control file**        configures the model for a particular simulation  
**restart file(s)**    initialise(s) the model at the *start* of a simulation  
**auxiliary files**    provide the boundary conditions *during* a simulation

- The model may be configured for a particular scenario by modifying one or more of these files
- See Chapters 4 and 5 of the Users Guide for further information

# Boundary conditions: atmosphere model

- Bottom boundary conditions:
  - Sea surface temperatures
  - Ocean currents
  - Topography
  - Albedo
  - Vegetation and soil types
- Radiative boundary conditions:
  - CO<sub>2</sub> transmission coefficients
  - Ozone mixing ratios

# Boundary conditions: ocean model

- Upper boundary conditions:
  - Sea surface temperatures
  - Sea surface salinities
  - Surface wind stresses
- Bottom boundary conditions:
  - Bathymetry

# Boundary conditions: coupled model

- Bottom boundary conditions:
  - Topography
  - Bathymetry
  - Albedo
  - Vegetation and soil types
- Radiative boundary conditions:
  - CO<sub>2</sub> transmission coefficients
  - Ozone mixing ratios

A scenic landscape featuring a large, calm lake in the foreground, reflecting the surrounding environment. The middle ground is dominated by dense, green forested hillsides. In the background, several prominent, rugged mountain peaks rise against a clear, light blue sky. The mountains have a mix of dark rock and patches of snow or light-colored rock. The overall scene is peaceful and natural.

# Output files



# Output files

- The model generates three types of output:

**diagnostic information**    written to standard output

**output files**                save the state of the model *during* a simulation

**restart file(s)**              save(s) the state of the model at the *end* of a  
simulation

- The output files contain the simulated climate
- See Chapter 6 of the Users Guide for further information

# Exercise 1: Diagnostic information

- Get the course material for today:

```
cd
```

```
tar zxvf /srv/scratch/z3210932/week2.tar.gz
```

- This contains typical output from a coupled model simulation
- The diagnostic information is saved in the file `out.00001`
- Using the `less` command, examine the contents of this file
- Table 4.4 of the Users Guide will be useful here

# What is netCDF?

- network Common Data Form
- A self-describing, machine-independent data format
- Probably the most common data format in the climate sciences
- The names of netCDF files usually end with `.nc`
- The command `ncdump` can be used to examine the contents of netCDF files
- See <http://www.unidata.ucar.edu/software/netcdf/>

## Exercise 2: netCDF

- Load netCDF by entering the command:

```
module load netcdf
```

- Use `ncdump` to examine the contents of the sample atmosphere model output file, `stsc_spi62.nc`. Try commands such as:

```
ncdump -h stsc_spi62.nc  
ncdump -c stsc_spi62.nc  
ncdump stsc_spi62.nc | less
```

# Ferret

- A free visualisation and analysis package
- Specifically designed for visualising climatic data
- Makes it a breeze to visualise, analyse and manipulate the contents of netCDF files
- Very powerful and easy-to-use averaging, interpolation and re-gridding capabilities
- Your new best friend!
- See <http://ferret.pmel.noaa.gov/Ferret/>



# Basic Ferret commands

<code>use &lt;file&gt;</code>	Load the netCDF file <file>
<code>show data</code>	List the data which is available
<code>list &lt;variable&gt;</code>	List the values of <variable>
<code>plot &lt;variable&gt;</code>	Produce a line plot of <variable>
<code>shade &lt;variable&gt;</code>	Produce a shade plot of <variable>
<code>fill &lt;variable&gt;</code>	Produce a filled plot of <variable>
<code>contour &lt;variable&gt;</code>	Produce a contour plot of <variable>
<code>exit or q</code>	Exit

# Basic Ferret transformations

- If the variable `tsc` contains surface air temperature as a function of longitude and latitude, then these expressions have the following meanings:

<code>tsc[i=10,j=8]</code>	Temperature at gridpoint (10, 8)
<code>tsc[x=140e,y=35s]</code>	Temperature at 140°E, 35°S
<code>tsc[x=90e:180e,y=45s:0]</code>	Temperature over the region 90–180°E, 45-0°S
<code>tsc[i=@ave]</code>	Zonal-mean temperature
<code>tsc[i=@ave,j=@ave]</code>	Global-mean temperature
<code>tsc[i=@max,j=@max]</code>	Global-maximum temperature
<code>tsc[i=@min,j=@min]</code>	Global-minimum temperature

## Exercise 3: Ferret

- Load and run Ferret:

```
module load ferret  
ferret
```

- Within Ferret, load the sample atmosphere model output:

```
yes? use stsc_spi62.nc
```

## Exercise 3: Ferret

- Try commands such as:

```
show data
```

```
fill tsc[k=1,l=1]
```

```
fill tsc[k=@ave,l=@ave]
```

```
fill tsc[i=@ave,k=@ave]
```

```
fill tsc[k=@max,l=@max]
```

```
plot tsc[i=@ave,j=@ave,k=@ave]
```

```
plot tsc[i=@ave,k=@ave,l=@ave]
```

```
plot tsc[x=140e,y=35s,l=@ave]
```

```
list tsc[i=@ave,j=@ave,k=@ave,l=@ave]
```

```
show transform
```

## Exercise 4: Ocean model output

- A sample ocean model output file, `com.spi62.00001.nc`, is provided
- Examine the contents of this file using `ncdump` and Ferret
- Within Ferret, try commands such as:

```
shade/lev=1d temp[k=1,l=1]
fill/lev=1d temp[i=@ave,l=@ave]
fill/lev=2dc motg[l=@ave]
plot mota[y=30n:60n@max,k=@max]
```

- Table 6.1 of the Users Guide will be useful here





**Running Mk3L for one day**

# Running Mk3L for one day

- You did this last week!
- The steps involved in running the model were as follows:
  - Create a run directory
  - Copy the executable, control file, restart file and auxiliary files to this directory
  - Run the model

## Exercise 5: Running Mk3L for one day

- Change back to the directory containing the test scripts:

```
cd ~/CSIRO_Mk3L/version-1.2/core/scripts/
```

- The script `qsub_test_cpl` runs the coupled model for one day
- Using the `less` command, examine this script carefully
- What would you change to run the model for one month, rather than one day?



**Running Mk3L for 10 years**



# Running Mk3L for 10 years

- This involves the same steps as running the model for one day:
  - Create a run directory
  - Put everything there
  - Run the model
- For the ocean model, it's *exactly* the same
- However, the atmosphere model and coupled model can only be run for one year at a time
- So, in this case, we need to re-initialise the model at the start of each year



## Exercise 6: Running Mk3L for 10 years

- Change back to the directory containing today's course material:

```
cd ~/week2/
```

- The script `qsub_10years` runs the coupled model for 10 years
- Using the `less` command, examine this script carefully
- How does it differ from the script which runs the model for one day?

# Exercise 7: Time to do some real modelling!

- Choose one of the following experiments:

exp01 Control simulation

exp02 Mid-Holocene (6,000 years BP)

exp03 Last Glacial Maximum (21,000 years BP)

exp04 Snowball Earth

exp05  $2 \times \text{CO}_2$

exp06 Water hosing

# Exercise 7: Time to do some real modelling!

- For your experiment, change to the appropriate directory e.g.

```
cd ~/week2/exp01/
```

- Now start your experiment e.g.

```
qsub qsub_exp01
```

- Look at the script which carries out each experiment
- How does it differ from the control simulation?



**Running Mk3L for 10,000 years**

# Running Mk3L for 10,000 years

- This involves the same steps as running the model for 10 years:
  - Create a run directory
  - Put everything there
  - Run the model
- However, we can't run the model for 10,000 years in one go:
  - It could take more than a year to complete the job
  - The volume of data generated will be enormous
- The solution is to break the job down into manageable chunks
- We also need to archive the output of the model

## Exercise 8: Running Mk3L for 10,000 years

- Change back to the directory containing today's course material:

```
cd ~/week2/
```

- RUN\_spi62 is an actual script that was used to carry out a 10,000-year control simulation on the National Facility in Canberra
- Using the `less` command, examine this script carefully
- What does it do?